

SEERVII



PIPE FITTING CATALOG

Perfect Flow Starts with the Right Fit

www.seervii.com

About seervii

Reliable Industrial Supply. Trusted Global Trade.

SEERVII is an India-based industrial supply and export company, providing a wide range of engineering products to industries and global buyers.

We specialize in sourcing and supplying valves, pumps, electric motors, bearings, fasteners, flanges, pipe fittings, electrical items, power tools, and safety products through a trusted supply network.


With a focus on quality, timely delivery, and transparent communication, SEERVII supports both domestic and international customers with dependable supply solutions.

Elbow



- **Size Range:** ½" to 48" (DN15 to DN1200)
- **Type:** 45° / 90° / 180° Elbow
- **Material:** Carbon Steel / Alloy Steel / Stainless Steel (SS304 / SS316)
- **Standard:** ASME B16.9 / B16.28 / DIN / EN
- **Connection:** Butt Weld / Socket Weld / Threaded
- **Thickness:** SCH 10 to SCH 160 / XXS
- **Surface Finish:** Black / Pickled / Galvanized
- **Applications:** Oil & Gas, Petrochemical, Water Lines, Power Plants, Industrial Piping

Tee



- **Size Range:** ½" to 48" (DN15 to DN1200)
- **Type:** Equal Tee / Reducing Tee
- **Material:** Carbon Steel / Alloy Steel / Stainless Steel (SS304 / SS316)
- **Standard:** ASME B16.9 / B16.28 / DIN / EN
- **Connection:** Butt Weld / Socket Weld / Threaded
- **Thickness:** SCH 10 to SCH 160 / XXS
- **Surface Finish:** Black / Pickled / Galvanized
- **Applications:** Oil & Gas, Petrochemical, Water Lines, Power Plants, Industrial Piping

Reducers



- **Size Range:** ½" to 48" (DN15 to DN1200)
- **Type:** Concentric Reducer / Eccentric Reducer
- **Material:** Carbon Steel / Alloy Steel / Stainless Steel (SS304 / SS316)
- **Standard:** ASME B16.9 / B16.28 / DIN / EN
- **Connection:** Butt Weld / Socket Weld / Threaded
- **Thickness:** SCH 10 to SCH 160 / XXS
- **Surface Finish:** Black / Pickled / Galvanized
- **Applications:** Oil & Gas, Petrochemical, Water Lines, Power Plants, Industrial Piping

Coupling



- **Size Range:** ½" to 24" (DN15 to DN600)
- **Type:** Full Coupling / Half Coupling / Reducing Coupling
- **Material:** Carbon Steel / Alloy Steel / Stainless Steel (SS304 / SS316)
- **Standard:** ASME B16.11 / MSS SP-97 / DIN / EN
- **Connection:** Threaded / Socket Weld
- **Pressure Rating:** Class 3000 / 6000 / 9000
- **Surface Finish:** Black / Galvanized / Pickled
- **Applications:** Oil & Gas, Petrochemical, Water Lines, Industrial Piping

Union



- **Size Range:** ½" to 24" (DN15 to DN600)
- **Type:** Threaded Union / Socket Weld Union / Union with Seat
- **Material:** Carbon Steel / Alloy Steel / Stainless Steel (SS304 / SS316)
- **Standard:** ASME B16.11 / DIN / EN
- **Connection:** Threaded / Socket Weld
- **Pressure Rating:** Class 3000 / 6000 / 9000
- **Surface Finish:** Black / Galvanized / Pickled
- **Applications:** Oil & Gas, Petrochemical, Water Lines, Industrial Piping

Bushing



- **Size Range:** ½" to 4" (DN15 to DN100)
- **Type:** Hex Bushing / Reducing Bushing
- **Material:** Carbon Steel / Alloy Steel / Stainless Steel (SS304 / SS316) / Brass
- **Standard:** ASME B16.11 / BS / DIN
- **Connection:** Threaded (Male x Female)
- **Pressure Rating:** Class 3000 / 6000
- **Surface Finish:** Black / Galvanized / Brass Finish
- **Applications:** Plumbing, Industrial Piping, Water Lines, Oil & Gas

Nipple

- **Size Range:** ½" to 6" (DN15 to DN150)
- **Type:** Hex Nipple / Close Nipple / Barrel Nipple / Reducing Nipple
- **Material:** Carbon Steel / Alloy Steel / Stainless Steel (SS304 / SS316) / Brass
- **Standard:** ASME B16.11 / ASTM / DIN / EN
- **Connection:** Threaded (Male x Male)
- **Pressure Rating:** Class 3000 / 6000
- **Surface Finish:** Black / Galvanized / Pickled / Brass Finish
- **Applications:** Plumbing, Oil & Gas, Water Lines, Industrial Piping




Cap

- **Size Range:** ½" to 48" (DN15 to DN1200)
- **Type:** Butt Weld Cap / Threaded Cap / Socket Weld Cap
- **Material:** Carbon Steel / Alloy Steel / Stainless Steel (SS304 / SS316)
- **Standard:** ASME B16.9 / B16.11 / DIN / EN
- **Connection:** Butt Weld / Threaded / Socket Weld
- **Thickness:** SCH 10 to SCH 160 / XXS
- **Surface Finish:** Black / Pickled / Galvanized
- **Applications:** Pipeline End Closure, Oil & Gas, Water Lines, Industrial Piping



Adapter

- **Size Range:** ½" to 12" (DN15 to DN300)
- **Type:** Male x Female / Male x Male / Female x Female
- **Material:** Carbon Steel / Alloy Steel / Stainless Steel (SS304 / SS316) / Brass
- **Standard:** ASME / DIN / BSP / NPT
- **Connection:** Threaded / Socket Weld
- **Pressure Rating:** Class 3000 / 6000
- **Surface Finish:** Black / Galvanized / Nickel Plated / Pickled
- **Applications:** Hydraulic Systems, Plumbing, Industrial Piping, Oil & Gas



SEERVII

Contact



+91 8866325879



seerviigroup@gmail.com



www.seervii.com



Ahmedabad , Bharuch